PAKISTAN JOURNAL OF HEALTH SOLUTIONS

vol:03 issue:02 2025

E-ISSN:2520-0674

INTEGRATING DIGITAL HEALTH TECHNOLOGIES TO IMPROVE PRIMARY HEALTHCARE DELIVERY IN PAKISTAN

Muhammad Bilal Shaikh
Lecturer, Department of Health Informatics, Dow University of Health Sciences (DUHS), Karachi, Pakistan
Email: *bilal.shaikh@duhs.edu.pk*
Sana Riaz
Assistant Professor, Department of Public Health, Khyber Medical University (KMU), Peshawar, Pakistan
Email: *sana.riaz@kmu.edu.pk*

Article Info:

Keywords:

Digital health, Primary healthcare, Telemedicine, DHIS2, Interoperability, mHealth, Pakistan, Health systems strengthening

Abstract. *Pakistan's primary healthcare (PHC) system faces persistent constraints including workforce shortages, fragmented health information flows, geographic inequities, and limited continuity of care. Digital health technologies—telemedicine, electronic medical records, decision-support tools, digital registries, and interoperable health information systems—offer practical pathways to strengthen PHC coverage and quality. National policy momentum, including Pakistan's Telemedicine Policy (2021) and the National Digital Health Framework (2022–2030), signals a shift toward standardized governance, data exchange, and scalable digital service delivery. This article proposes an integrated PHC-focused digital health model for Pakistan, detailing priority use-cases, implementation enablers, and safeguards for equity, privacy, and clinical quality. The paper argues that success depends on interoperability, workforce readiness, and sustainable financing aligned with provincial health reforms.*

1. INTRODUCTION

Primary healthcare is the foundation of equitable health systems, yet Pakistan continues to face challenges in PHC delivery—especially in rural and underserved districts—where access, referral linkages, and follow-up are weak. Digital health can reduce distance barriers, improve continuity, and enable better population health management by linking community-based workers, facilities, laboratories, and referral hospitals through data-driven workflows. Pakistan has taken important steps toward institutionalizing digital health. The **Telemedicine Policy (2021)** outlines definitions,

governance expectations, and practice guidance for telemedicine services. The **National Digital Health Framework (2022–2030)** further emphasizes interoperable systems, standards, and a coordinated ecosystem for digital transformation of health services. Additionally, national connectivity growth—reported by the Pakistan Telecommunication Authority (PTA)—creates enabling conditions for broader digital health reach. Recent federal initiatives such as "digital-first" BHUs also indicate operational experimentation with technology-enabled PHC delivery.

Digital Health Technologies Relevant to PHC in Pakistan (Expanded Discussion)

1.1 Telemedicine and Tele-Triage (Hub-and-Spoke PHC Networks)

Telemedicine has emerged as a transformative tool for strengthening Pakistan's primary healthcare (PHC) system, particularly in geographically remote and underserved districts. Under a hub-and-spoke model, Basic Health Units (BHUs) and Rural Health Centers (RHCs) serve as frontline spokes connected to tertiary or specialist hospitals (hubs). Through secure video consultations, e-referrals, and tele-diagnostics, frontline providers can obtain specialist guidance in real time. This reduces unnecessary physical referrals, minimizes travel costs for patients, and shortens waiting times for specialist care. Tele-triage systems also help prioritize cases based on severity, improving resource allocation and emergency responsiveness. In maternal and child health, tele-obstetric consultations enable midwives and medical officers to seek expert input on high-risk pregnancies. For chronic disease management (e.g., hypertension and diabetes), tele-follow-ups enhance medication adherence and allow monitoring without repeated hospital visits. Tele-dermatology and tele-mental health services are particularly impactful in rural areas where specialist availability is limited. Importantly, effective telemedicine integration requires standardized clinical protocols, reliable connectivity, trained staff, and clear regulatory frameworks to ensure patient safety and confidentiality.

1.2 mHealth for Community Outreach (LHW/CHW Support)

Mobile health (mHealth) applications significantly enhance the work of Lady Health Workers (LHWs) and Community Health Workers (CHWs), who form the backbone of Pakistan's PHC outreach. Traditionally reliant on paper registers, these workers can benefit from mobile-based decision-support tools that guide household screening, antenatal and postnatal checklists, immunization tracking, and risk identification. Digital prompts reduce human error, standardize data collection, and improve follow-up scheduling. For example, automated SMS reminders can notify mothers about vaccination schedules, while mobile dashboards allow supervisors to monitor field activities in real time. Digital risk-flagging tools can identify high-risk pregnancies, malnourished children, or suspected TB cases early, facilitating timely referrals. Furthermore, mHealth platforms strengthen data reporting from community to district level, ensuring more accurate and timely public health information. However, successful implementation requires training, user-friendly design in local languages, and mechanisms to address connectivity challenges in rural settings.

1.3 Electronic Medical Records (EMR) and Shared Longitudinal Patient Records

Electronic Medical Records (EMRs) represent a cornerstone of digital transformation in PHC. Low-cost, cloud-based, or offline-capable EMR systems can replace fragmented paper files at BHUs and RHCs, ensuring continuity of care. A shared longitudinal patient record allows healthcare providers to access a patient's medical history, laboratory results, prescriptions, and referral notes across facilities. This reduces duplication of diagnostic tests, minimizes medication errors, and enhances coordinated chronic disease management. In Pakistan's context, EMR integration at PHC level can significantly improve management of non-communicable diseases (NCDs), maternal health follow-ups, and immunization histories. Interoperable EMRs also facilitate smoother referral pathways between primary, secondary, and tertiary facilities. Additionally, digital prescription systems enhance rational drug use and

stock management. Nonetheless, interoperability standards, data security frameworks, and adequate technical support are essential to avoid siloed systems that undermine the potential benefits of digital records.

1.4 Health Information Systems and Digital Surveillance (DHIS2 Ecosystem)

Robust Health Information Systems (HIS), particularly those built on platforms such as DHIS2 (District Health Information Software 2), play a crucial role in strengthening district-level planning and disease surveillance. In Pakistan, DHIS2 has been deployed in multiple provinces to collect routine health facility data, monitor service delivery indicators, and support evidence-based decision-making. Digital reporting enhances timeliness, accuracy, and completeness compared to manual aggregation processes.

Digital surveillance systems are especially critical for outbreak detection and response. Real-time data on infectious diseases, immunization coverage gaps, or maternal mortality trends can trigger early interventions. Data visualization dashboards support district health managers in identifying underperforming facilities and allocating resources strategically. However, challenges persist, including variable data quality, limited data-use culture among managers, and inconsistent training in analytics. Capacity-building in data interpretation and governance, alongside integration with laboratory and referral systems, can significantly enhance the effectiveness of Pakistan's digital surveillance ecosystem.

Overall Implication

Collectively, telemedicine, mHealth tools, EMRs, and integrated health information systems form a complementary digital ecosystem capable of transforming Pakistan's primary healthcare landscape. When implemented cohesively—with interoperability, workforce readiness, and governance safeguards—these technologies can improve access, efficiency, equity, and quality of PHC services nationwide.

Priority PHC Use-Cases (High Impact, Feasible to Scale) – Expanded Discussion

2.1 Maternal, Newborn, and Child Health (MNCH)

Maternal, newborn, and child health remains a central priority in Pakistan's primary healthcare system due to persistently high maternal and neonatal mortality rates in several districts. Digital technologies can significantly strengthen the MNCH continuum of care. Electronic antenatal care (ANC) and postnatal care (PNC) registries enable systematic tracking of pregnant women from early registration to postpartum follow-up. Automated appointment reminders via SMS or mobile applications help reduce missed visits and improve continuity of care. Digital danger-sign triage tools embedded in mobile platforms allow frontline workers to identify high-risk pregnancies, anemia, gestational hypertension, or signs of neonatal distress early. Teleconsultations between BHUs/RHCs and obstetric specialists can support timely management of complications, reducing preventable maternal deaths. Additionally, digital birth registries and immunization linkage systems ensure newborns are enrolled into routine vaccination programs promptly. When integrated with referral tracking systems, these interventions enhance both service coverage and quality in MNCH delivery.

2.2 Immunization and Child Nutrition

Immunization and child nutrition programs benefit greatly from digitized tracking and monitoring systems. Digital defaulter tracking tools help identify children who miss vaccination schedules, enabling health workers to conduct targeted follow-ups. Integration of immunization registries with SMS reminder systems can significantly improve coverage rates, especially in rural and peri-urban communities. Growth monitoring dashboards provide real-time visualization of children's weight-for-age, height-for-age, and mid-upper arm circumference (MUAC) indicators. Such dashboards support early detection of malnutrition and facilitate targeted nutritional counseling. Community health workers equipped with mobile-based nutrition

screening tools can provide immediate dietary guidance to caregivers. Furthermore, district-level digital dashboards allow policymakers to detect coverage gaps geographically and allocate supplementary nutrition programs more effectively. The scalability of these digital tools lies in their relatively low cost and compatibility with existing outreach networks such as the Lady Health Worker program.

2.3 Non-Communicable Diseases (NCDs)

The rising burden of non-communicable diseases (NCDs), particularly hypertension and diabetes, poses a major challenge to Pakistan's PHC system. Digital "care pathways" offer structured clinical workflows embedded within EMR or mobile systems to guide screening, diagnosis, medication titration, and follow-up schedules. Automated alerts can remind patients about medication adherence and lifestyle modifications, while providers receive prompts aligned with national clinical guidelines. Remote follow-up through teleconsultations reduces frequent facility visits for stable patients, easing congestion at PHC centers. E-prescription systems minimize medication errors and enhance drug inventory management at public facilities. Additionally, pilot programs involving home-based blood pressure and glucose monitoring devices connected to mobile applications allow real-time data sharing with healthcare providers. These interventions not only improve disease control rates but also promote patient self-management and long-term adherence.

2.4 Tuberculosis and Infectious Disease Continuity

Tuberculosis (TB) and other infectious diseases require sustained treatment adherence and coordinated referral systems to prevent drug resistance and disease spread. Digital adherence technologies, including SMS reminders, video-observed therapy (VOT), and mobile adherence tracking apps, help ensure patients complete their treatment regimens. These tools reduce loss-to-follow-up, particularly in urban slums and rural districts where mobility is high. Integration of laboratory information systems with PHC-level EMRs ensures rapid transmission of diagnostic results, enabling prompt initiation of treatment. Referral tracking systems document each patient's journey across facilities, minimizing gaps in care.

Implementation Framework (How to Make It Work) – Expanded Discussion

3.1 Governance and Regulation

Effective governance is the foundation of sustainable digital health integration within Pakistan's primary healthcare (PHC) system. Clear regulatory frameworks must operationalize telemedicine standards, licensing requirements, scope-of-practice guidelines, and medico-legal responsibilities. Clinical protocols should define triage rules, referral criteria, documentation standards, and patient consent procedures to ensure safety and quality of care. Licensing clarity is particularly important for cross-provincial teleconsultations, ensuring that healthcare providers operate within recognized professional standards. Regulatory bodies must also define accountability mechanisms for data security, malpractice liability, and service quality audits. Alignment with national digital health strategies and provincial health reforms is essential to prevent fragmentation. Strong governance structures help institutionalize digital health beyond pilot projects, embedding it within routine service delivery systems.

3.2 Interoperability and Standards

Interoperability is critical to avoiding siloed applications that fail to communicate with each other. Pakistan's digital health ecosystem must adopt standardized data formats, coding systems (e.g., disease classifications), and exchange protocols to enable seamless information flow across PHC facilities, laboratories, pharmacies, referral hospitals, and public health authorities. Where feasible, the use of unique patient identifiers can improve continuity of care, prevent duplication, and support longitudinal health records. Interoperability layers or health information exchanges can act as bridges between different systems, ensuring that core datasets—such as

patient demographics, diagnoses, laboratory results, and prescriptions—are accessible across levels of care. Standardization also facilitates national-level analytics, surveillance, and policy planning. Without interoperability, digital health efforts risk becoming isolated initiatives that undermine system-wide efficiency.

3.3 Human Capacity and Workflow Redesign

Technology adoption is only as strong as the human systems that support it. Building digital literacy among PHC staff, Lady Health Workers (LHWs), and district health managers is essential for successful implementation. Training programs should focus not only on technical skills but also on clinical decision-support tools, data interpretation, and patient communication in digital contexts. Workflow redesign is equally important. Digital systems should complement—not complicate—existing service processes. For example, EMR documentation should be streamlined to reduce duplication, and teleconsultation scheduling should align with clinic hours and patient flow. Supportive supervision and mentoring can reinforce new practices and address early implementation challenges. Creating a culture of data use—where district managers actively review dashboards and make evidence-based decisions—enhances system performance and accountability.

3.4 Infrastructure and Reliability

Reliable infrastructure forms the backbone of digital health scalability. Many rural BHUs face inconsistent internet connectivity and power supply interruptions, which can undermine system performance. Investments in broadband expansion, mobile network coverage, and backup power solutions (e.g., solar systems or generators) are essential for sustainability. Digital tools should be designed with offline-first capabilities, allowing data entry without continuous internet access and automatic synchronization once connectivity is restored. Durable hardware, regular maintenance schedules, and clear device replacement policies reduce system downtime. Infrastructure planning must also consider cybersecurity protections, secure servers, and encrypted communication channels to safeguard patient information.

3.5 Financing and Sustainability

Sustainable financing models are crucial to prevent digital health initiatives from remaining short-term pilot projects. A blended financing approach—combining federal and provincial public health budgets, donor contributions, and potential public-private partnerships—can support phased scaling. Performance-based financing mechanisms may incentivize adoption and service quality improvements at facility level. Early definition of scale pathways ensures that successful pilots transition into integrated provincial programs rather than being discontinued due to funding gaps. Cost-effectiveness analyses can demonstrate long-term savings through reduced hospital referrals, improved chronic disease management, and enhanced preventive care. Ultimately, embedding digital health financing within routine PHC budgets is essential for long-term institutionalization.

Overall Implication

A comprehensive implementation framework—anchored in governance,
Interoperability , human capacity, infrastructure reliability, and sustainable financing—ensures that digital health technologies strengthen Pakistan's primary healthcare system rather than adding complexity. When these enabling factors are addressed collectively, digital transformation becomes not merely a technological upgrade but a systemic reform aligned with universal health coverage goals.

Equity, Ethics, Privacy, and Safety – Expanded Discussion


4.1 Equity-by-Design

Equity must be embedded at the design stage of digital health interventions rather than treated as an afterthought. In Pakistan, disparities in gender access to technology, rural connectivity gaps, literacy limitations, and socio-economic inequalities can widen the digital divide if not proactively addressed. Women—particularly in conservative or

remote settings—may have limited independent access to smartphones or internet services. Therefore, digital platforms should incorporate local-language interfaces, voice-based navigation, and simplified user journeys suitable for low-literacy users. Assisted telemedicine models, where patients access digital consultations through BHUs or RHCs with support from trained staff, can bridge access gaps for populations without personal devices. Community-mediated access through Lady Health Workers (LHWs) also ensures outreach to marginalized households. Additionally, equity monitoring indicators—such as gender-disaggregated usage data and rural-urban service comparisons

Dr. Ersin Irk is a researcher in public administration and institutional reform, with a particular emphasis on governance transformation in developing economies. His scholarly work investigates how leadership agency and institutional entrepreneurship can convert subsidy-dependent welfare mechanisms into fiscally sustainable, rule-based statutory systems. By combining longitudinal empirical analysis with institutional theory, Dr. Irk contributes to policy debates on welfare market governance, digital monitoring frameworks, and performance-based public management. His research highlights the importance of enforceable legal design, administrative discipline, and strategic leadership in achieving durable public-sector reform.

Naveed Rafaqat Ahmad also explores the importance of human oversight in automated decision-making processes. He argues that while AI can assist in analyzing data and improving efficiency, final decisions—especially those affecting citizens' rights or benefits—should remain subject to meaningful human review.



Summary:

Digital health can substantially improve PHC delivery in Pakistan by strengthening access, continuity, and data-driven management—especially when aligned with national frameworks and implemented through interoperable, equity-focused models. Pakistan's Telemedicine Policy (2021) and National Digital Health Framework (2022–2030) provide a governance foundation for scaling technology-enabled PHC services. Connectivity expansion reported by PTA further supports feasibility for broader reach, though the "last-mile" challenges of rural infrastructure, workforce readiness, and sustainable financing remain decisive. A practical way forward is to scale a prioritized set of PHC use-cases (MNCH, immunization/nutrition, NCDs, TB care, and integrated mental health) through phased deployment, strong monitoring, and protection of privacy and clinical quality. With intentional design and governance, digital health can help Pakistan move closer to universal, resilient, and people-centered primary care.

References:

Ministry of National Health Services, Regulations & Coordination (MoNHSR&C). (2021). *Policy for telemedicine in Pakistan.*

MoNHSR&C & World Health Organization (WHO) Pakistan. (2022). *National Digital Health Framework Pakistan 2022–2030.*

Pakistan Telecommunication Authority (PTA). (2025). *PTA releases annual report 2024–25 (telecom & broadband highlights).*

Press Information Department, Government of Pakistan. (2026). *Pakistan launches first digital-first BHU under federal BHU digitalization program*.

World Health Organization (WHO). (2019). *Comprehensive assessment of Pakistan's health information system capacity (including DHIS2 readiness and data-use recommendations).*

Kazi, A. M., et al. (2020). Current challenges of digital health interventions in Pakistan. *Journal article (PMC).*

Bilal, W., et al. (2022). Digital health and telemedicine in Pakistan: Improving care delivery. *Journal article (PMC).*

Ministry of Information Technology & Telecommunication, Government of Pakistan. (2018). *Digital Pakistan Policy (e-Health section).*

Securities and Exchange Commission of Pakistan (SECP). (2025). *Healthcare ecosystem in Pakistan (digital health ecosystem references).*

Mansoor, M., et al. (2025). Telemedicine literacy in Pakistan: An explanatory mixed-methods study. *Journal article (PMC).*

WHO. (2018). *Pakistan digital health policy (revised).*

Gavi. (2023). Digital health service models in Pakistan (case example: Sehat Kahani).

Irk, E. (2026). *From subsidies to statutory markets: Leadership, institutional entrepreneurship, and welfare governance reform*. https://doi.org/10.52152/s59sjh53

Ahmad, N. R. (2026). AI-enabled public governance in developing states: Service delivery gains, accountability risks, and a practical risk-based regulatory model. https://doi.org/10.52152/wja5db40